	Application No.	Applicant(s)
Notice of Allowability	10/665,555	ASADA ET AL.
	Examiner	Art Unit
	Jason P. Riggleman	1792
The MAILING DATE of this communication appeal of the communication appeal claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT R of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in or other appropriate commu IGHTS. This application is so	this application. If not included nication will be mailed in due course. THIS
1. X This communication is responsive to 10/11/2007.		
2. Mare allowed claim(s) is/are 5 and 7-9.		
 3.	e been received.	
2. Certified copies of the priority documents have	•	
3. Copies of the certified copies of the priority do	cuments have been received	in this national stage application from the
International Bureau (PCT Rule 17.2(a)).		•
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONN THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		a reply complying with the requirements
4. A SUBSTITUTE OATH OR DECLARATION must be subm INFORMAL PATENT APPLICATION (PTO-152) which give		
5. X CORRECTED DRAWINGS (as "replacement sheets") mus	st be submitted.	
(a) including changes required by the Notice of Draftspers	son's Patent Drawing Review	(PTO-948) attached
1) hereto or 2) to Paper No./Mail Date		
(b) ☑ including changes required by the attached Examiner' Paper No./Mail Date 12/13/2007.	s Amendment / Comment or	in the Office action of
Identifying indicia such as the application number (see 37 CFR 1 each sheet. Replacement sheet(s) should be labeled as such in t		- •
 DEPOSIT OF and/or INFORMATION about the depo attached Examiner's comment regarding REQUIREMENT 		
	•	
Attachment(s) 1. Notice of References Cited (PTO-892)	5. ☐ Notice of Info	ormal Patent Application
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. 🔲 Interview Su	mmary (PTO-413),
3. Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date	<u> </u>	Mail Date Amendment/Comment
4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. 🛛 Examiner's S	Statement of Reasons for Allowance
or biological Material	9.	
•		

10/665,555 Art Unit: 1792

DETAILED ACTION

Status of Claims

Applicant's amendment, filed 10/11/2007 is acknowledged. Pending claims are 5 and 7-9. Claims 1-4 and 6 are canceled.

Response to Arguments

Applicant's arguments filed 10/11/2007 have been fully considered. The applicant has amended independent claim 5 to incorporate the allowable subject matter indicated as indicated in claim 6. The 112, second paragraph, rejections are withdrawn.

Drawings

The drawings are objected to as failing to comply with 37 CFR 1.84(p)(5) because they include the following reference character(s) not mentioned in the description: "7", "9", and "43", in Fig. 2 are mislabeled. Corrected drawing sheets in compliance with 37 CFR 1.121(d), or amendment to the specification to add the reference character(s) in the description in compliance with 37 CFR 1.121(b) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. Each drawing sheet submitted after the filing date of an application must be labeled in the top margin as either "Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d). If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

Allowable Subject Matter

Art Unit: 1792

Claims 5 and 7-9 are allowed.

The following is a statement of reasons for the indication of allowable subject matter: the prior art does not reasonably teach, suggest or disclose a water separation unit having a filter member which allows only the solvent to pass to the solvent storage chamber and a drainage pipe having a vertical part for bringing the water from the tank to a level higher than the bottom part of the tank and a horizontal part located downstream of the vertical part, where the highest point within the horizontal part is lower than the upper end of the solvent recovery pipe.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jason P. Riggleman whose telephone number is 571-272-5935. The examiner can normally be reached on M-F, 8:30-5:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Michael Barr can be reached on 571-272-1414. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

10/665,555 Art Unit: 1792 Page 4

Jason P Riggleman Examiner Art Unit 1792

JPR

MICHAEL BARR SUPERVISORY PATENT EXAMINER